In re of: SAGAWA5

Amendments to the Specification:

Please insert a new paragraph at page 20, between lines 7 and 8, as follows:

In one embodiment of the production method of the present invention the above-mentioned Dicer mutant is produced using a vector having a promoter that is capable of functioning at a low temperature (e.g., the pCold-series vector as described in WO 99/27117) according to an exemplary method.

Please amend the paragraph starting at page 22, line 17, as follows:

It is possible to promoter promote an activity of degrading a dsRNA by using a CspB protein and a protein having an activity of degrading a dsRNA in combination. According to the method of the present invention, it is possible to promote an activity of producing a dsRNA of a specific length for any of the proteins having an activity of degrading a dsRNA to produce a dsRNA of a specific length as described in (1) above (e.g., functional equivalents such as Dicer mutants, native Dicers or commercially available recombinant Dicers).

In re of: SAGAWA5

Please amend the paragraph starting at page 29, line 16, as follows:

The kit of the present invention may contain a protein having an activity of degrading a dsRNA which as has an activity of producing a dsRNA of a specific length and/or a protein having an activity of synthesizing an RNA. One as described in (3) above can be preferably used as the protein having an activity of degrading a dsRNA and/or the protein having an activity of synthesizing an RNA. Furthermore, the kit of the present invention may contain a buffer for stabilizing a Dicer mutant as described in (1) above.

Please amend the paragraph starting at page 47, line 10, as follows:

First, synthetic primers 5 and 6 (SEQ ID NOS:14 and 15) were synthesized using a DNA synthesizer based on the nucleotide sequence available to the public under GenBank accession no. AB028449, and purified according to a conventional method. The synthetic primer 5 is a synthetic DNA that has a recognition sequence for a restriction enzyme KpnI at nucleotide 9 to nucleotide 14, and a nucleotide sequence corresponding to amino acid 679 to amino acid 685 in the amino acid sequence of human Dicer (SEQ ID NO:1) at nucleotide 16 to nucleotide 36. The synthetic primer 6 has a

In re of: SAGAWA5

recognition sequence for a restriction enzyme HindIII at nucleotide 9 to nucleotide 14 and a nucleotide sequence corresponding to amino acid 1919 to amino acid 1924 in the amino acid sequence of human Dicer (SEQ ID NO:1) at nucleotide 18 to nucleotide $\frac{3635}{}$.